ELSEVIER International Journal of Mass Spectrometry and Ion Processes 167/168 (1997) vii–ix

International Journal of Mass Spectrometry and Ion Processes

# CONTENTS

*Special Issue: In honour of Chava Lifshitz, edited by R.C. Dunbar and T.D. Märk*

Foreword ..... x
Chava Lifshitz: an appreciation ..... xi
Chava Lifshitz: Curriculum Vitae ..... xiii
A coordinated flowing afterglow and crossed beam study of electron attachment to $CCl_3Br$
P. Spanel, D. Smith, S. Matejcik (Stoke on Trent, UK), A. Kiendler and T.D. Märk (Innsbruck, Austria) ..... 1
Proton transfer between functional groups in $MH^+$ ions of stereoisomeric diethers on chemical ionization and collision-induced dissociation conditions
N. Morlender-Vais and A. Mandelbaum (Haifa, Israel) ..... 13
Collision-induced dissociation (CID) processes in some carbamate and phenylurea pesticides studied by ion-trap MS/MS
J. Yinon and A. Vincze (Rehovot, Israel) ..... 21
VUV peaks in absorption spectra and photoion yield curves of polycyclic aromatic hydrocarbons and related compounds
H.W. Jochims, E. Rühl, H. Baumgärtel, S. Tobita (Berlin, Germany) and S. Leach (Orsay, France) ..... 35
Electron-impact-induced fragmentation of long-lived $C_{14}H_{14}^{\cdot+}$ ions from dibenzyl sulphone and 1,2-diphenylethane
D. Kuck, A. Bruder (Bielefeld, Germany) and D.V. Ramana (Madras, India) ..... 55
Cross-sections for the electron impact ionization of $ND_x$ $(x = 1 - 3)$
V. Tarnovsky, K. Becker (New York, USA) and H. Deutsch (Greifswald, Germany) ..... 69
Mass spectral determination of the configuration of 17$\beta$-tetrahydropyranyloxy-19-norandrostan-3$\beta$-ol
S. Di-Capua, H.G. Jang, D. Barasch, G. Halperin and J. Deutsch (Jerusalem, Israel) ..... 79
Temperature dependence of electron attachment processes
I. Hahndorf and E. Illenberger (Berlin, Germany) ..... 87
The tropylium/benzylium ion dichotomy in the gas-phase reactions of transition metal chalcogenide cations with toluene
I. Kretzschmar, D. Schröder and H. Schwarz (Berlin, Germany) ..... 103
Loss of $H_2$ from $CH_2NH_2^+$ and $NHNH_2^+$. Reaction mechanisms and dynamics from observation of metastable ion fragmentations and ab initio calculations
Å.M.L. Øiestad and E. Uggerud (Oslo, Norway) ..... 117
Stability of carbon clusters $C_N$ for $46 \leq N \leq 102$
P.E. Barran, S. Firth, A.J. Stace, H.W. Kroto (Brighton, UK), K. Hansen and E.E.B. Campbell (Berlin, Germany) ..... 127
The bimolecular gas-phase reaction of protonated alkyldipeptides with acetonylacetone
E.H. Gur, L.J. de Koning and N.M.M. Nibbering (Amsterdam, The Netherlands) ..... 135
Ab initio study of the reaction $C_2H_4^+ \rightarrow C_2H_3^+ + H$
M. Oblinger, A.J. Lorquet and J.C. Lorquet (Liège, Belgium) ..... 149
Formation and stability of antimony and bismuth oxide clusters: a mass spectrometric investigation
M. Kinne, T.M. Bernhardt, B. Kaiser and K. Rademann (Berlin, Germany) ..... 161
Heptene radical cations: how well is the double bond localized?
T. Gäumann, A. Heusler and M. Bensimon (Lausanne, Switzerland) ..... 173
Effect of ion-neutral collision mechanism on the trapped-ion equation of motion: a new mass spectra line shape for high-mass trapped ions
S. Guan, G-Z. Li and A.G. Marshall (Tallahassee, USA) ..... 185
Activation of $CH_4$, $C_2H_6$, $C_3H_8$, and c-$C_3H_6$ by gas-phase $Pd^+$ and the thermochemistry of Pd-ligand complexes
Y-M. Chen, M.R. Sievers and P.B. Armentrout (Salt Lake City, USA) ..... 195
An electron impact and chemical ionization study of some diethyl dicarboxylates
A.G. Harrison and J. Malát (Ontario, Canada) ..... 213
Rate constants for the reactions of $N^+$ and $N_2^+$ with $O_2$ as a function of temperature (300–1800 K)
I. Dotan, P.M. Hierl, R.A. Morris and A.A. Viggiano (Hanscom, USA) ..... 223
The heat of formation of the $[C_6, H_5O]^+$ isomeric ion, protonated 6-oxafulvalene
D.V. Zagorevskii and J.L. Holmes (Ottawa, Canada) ..... 231

Ab initio reaction path energetics for the CX dissociations of $C_6H_5X^+$ with X = H, F, Cl, and Br
S.J. Klippenstein (Argonne, USA) ... 235
FT ICR investigations of chiral supramolecular propellers of dialkyltartrate trimers with methylammonium ions
E.V. Denisov, V. Shustryakov, E.N. Nikolaev (Moscow, Russian Federation), F.J. Winkler and R. Medina (Freising, Germany) ... 259
Low energy, high resolution ion scattering mass spectrometry of strained molecules and their isomers
Z. Li, J. Eckwert, A. Łapicki and S.L. Anderson (Salt Lake City, USA) ... 269
Measured and calculated mobilities of cluster ions drifting in helium and in nitrogen
J.A. de Gouw, M. Krishnamurthy, V.M. Bierbaum and S.R. Leone (Boulder, USA) ... 281
The dissociation of low energy 1,2-propanediol ions: an intriguing mechanism revisited
P.C. Burgers (Barneveld, The Netherlands), L.M. Fell, P.J.A. Ruttink, J.K. Terlouw (Hamilton, Canada), A. Milliet and M. Rempp (Palaiseau, France) ... 291
First experimental characterization of aminocarbene
M.J. Polce, Y. Kim and C. Wesdemiotis (Akron, USA) ... 309
Collision-induced dissociation dynamics of the enolic acetone cation: evidence for non-ergodic behavior
R. Zhao, R. Tosh, A. Shukla and J. Futrell (Newark, USA) ... 317
Methoxymethyl group migration in bis(methoxymethyl)arene radical cations: a new outlook on the rearrangement of dialkylarene radical cations
N. Harting, G. Thielking and H.-F. Grützmacher (Bielefeld, Germany) ... 335
Rearrangement and dissociative processes in the $[C_3H_6O]^{+\cdot}$ potential energy surface. Radical cations with the CCCO frame: a model system
G. Bouchoux (Palaiseau, France), A. Luna and J. Tortajada (Paris, France) ... 353
SIFT studies of the reactions of $H_3O^+$, $NO^+$ and $O_2^+$ with a series of alcohols
P. Spanel and D. Smith (Stoke-on-Trent, UK) ... 375
Isomerization and dissociation in competition: the two-component dissociation rates of methyl acetate ions
O.A. Mazyar, P.M. Mayer and T. Baer (Chapel Hill, USA) ... 389
Electron and proton transfer reactions of simple aldehyde and ketone radical cations and their enol and distonic isomers
H.C.M. Byrd, L.M. Castro, Y.-Q. Yu, C.T. Hwang and H.L. Kenttämaa (West Lafayette, USA) ... 403
Photodissociation dynamics of double charged iron pentacarbonyl $Fe(CO)_5^{2+}$
S. Hsieh and J.H.D. Eland (Oxford, UK) ... 415
Dependency of H-transfer on the initial configuration of the partners in ion-neutral complexes: motion of the partners as a function of the initial geometry of complexes
D.J. McAdoo, C.E. Hudson, C.S. Giam (Galveston, USA) and J.C Traeger (Bundoora, Australia) ... 425
Strong hydrogen bonding in the gas phase: fluoromethane · · · hydronium versus fluoromethane · · · ammonium
A.J. Illies (Auburn, USA) and T.H. Morton (Riverside, USA) ... 431
Efficient cationization by $Cs^+$ adduct ion formation in a supersonic beam
P. Schanen, D. Yang, R. Weinkauf and E.W. Schlag (Lichtenbergstraße, Germany) ... 447
A PEPICO study of five energy-selected $C_6H_{12}^{+\cdot}$ isomeric molecular ions. Part 1
M.A.A. Ferreira and M.C. Oliveira (Lisbon, Portugal) ... 471
Identification of pollutants in ammunition hazardous waste sites by thermospray HPLC/MS
M. Astratov, A. Preiß, K. Levsen and G. Wünsch (Hannover, Germany) ... 481
A modified additivity rule for the calculation of electron impact ionization cross-section of molecules $AB_n$
H. Deutsch (Greifswald, Germany), K. Becker (Hoboken, USA) and T.D. Märk (Innsbruck, Austria) ... 503
The influence of surface strain on the chemical reactivity of fullerene ions: addition reactions with cyclopentadiene and 1,3-cyclohexadiene
H. Becker, L.T. Scott and D.K. Bohme (Ontario, Canada) ... 519
Differentiation of isomeric $C_3H_4^{+\cdot}$ ions and T → V energy partitioning in surface-induced dissociation
S. Hayakawa, B. Feng and R.G. Cooks (West Lafayette, USA) ... 525
The electron affinity of cyclopropyl radical measured by the kinetic method
R.A. Seburg and R.R. Squires (West Lafayette, USA) ... 541
Kinetic energy losses and vibrational excitation in hyperthermal $C_{60}$-surface scattering: dependence on vibrational energy of the incident molecule
A. Bekkerman, B. Tsipinyuk, A. Budrevich and E. Kolodney (Haifa, Israel) ... 559
Lyapunov exponents for the intramolecular motion of the $Cl^- – CH_3Br$ complex
H. Wang and W.L. Hase (Detroit, USA) ... 573
Hydrogen/deuterium exchange in the reactions of methyl cation with methane
H.S. Lee, V.M. Bierbaum and C.H. DePuy (Boulder, USA) ... 587

Radiative energy loss from hot $C_{60}$ molecules
W.A. Chupka (New Haven, USA) and C.E. Klots (Oak Ridge, USA) ..... 595
Gas phase structures of sodiated oligosaccharides by ion mobility/ion chromatography methods
S. Lee, T. Wyttenbach and M.T. Bowers (Santa Barbara, USA) ..... 605
Oxidation induced ionization and reactions of metal carbide clusters (Nb, Zr, V, Ta)
H.T. Deng, K.P. Kerns, R.C. Bell and A.W. Castleman Jr (University Park, USA) ..... 615
Size dependence of radiative association rates
V. Ryzhov and R.C. Dunbar (Cleveland, USA) ..... 627
Microsolvation of the ammonium ion in argon: infrared spectra of $NH_4^+$-$Ar_n$ complexes ($n = 1 - 7$)
O. Dopfer, S.A. Nizkorodov, M. Meuwly, E.J. Bieske and J.P. Maier (Basel, Switzerland) ..... 637
Mass analyzed threshold ionization of van der Waals complexes: Binding energies of dibenzofuran · Ar and dibenzo-*p*-dioxin · Ar
Th.L. Grebner, R. Stumpf and H.J. Neusser (Garching, Germany) ..... 649
Instrumental measures to enhance the mass resolution in matrix assisted laser desorption/ionization (MALDI) time-of-flight experiments: computational simulations and experimental observations
M. Amft, F. Moritz, C. Weickhardt and J. Grotemeyer (Kolkwitz, Germany) ..... 661
DFT/HF study of the potential energy surface of protonated ethane $C_2H_7^+$
J. Hrušák, J. Žabka, Z. Dolejšek and Z. Herman (Prague, Czech Republic) ..... 675
The heats of formation, gas-phase acidities, and related thermochemical properties of the third-row hydrides $GeH_4$, $AsH_3$, $SeH_2$ and HBr from G2 ab initio calculations
P.M. Mayer, L. Radom (Canberra, Australia) and J.-F. Gal (Nice, France) ..... 689
Energy dependencies of the proton transfer reactions $H_3O^+ + CH_2O \Leftrightarrow CH_2OH^+ + H_2O$
A. Hansel, W. Singer, A. Wisthaler, M. Schwarzmann and W. Lindinger (Innsbruck, Austria) ..... 697
DNA sequencing with blackbody infrared radiative dissociation of electrosprayed ions
D.J. Aaserud, Z. Guan, D.P. Little and F.W. McLafferty (Ithaca, USA) ..... 705
Bond dissociation energy determinations for $MOC(CH_3)_2^+$ and $MOC(CD_3)_2^+$, (M=Cr, Mn), using the continuous ejection and radiative association methods
C.-Y. Lin, Q. Chen, H. Chen and B.S. Freiser (West Lafayette, USA) ..... 713
Chemistry and charge transfer phenomena in water cluster cations
C. Berg, U. Achatz, M. Beyer, S. Joos, G. Albert, T. Schindler, G. Niedner-Schatteburg and V.E. Bondybey (Garching, Germany) ..... 723
Influence of ion activation and thermalization effects on reaction rate constants in a quadrupole ion trap mass spectrometer
P. Liere, V. Steiner, J.C. Tabet (Paris, France), K.R. Jennings (Coventry, UK) and R.E. March (Petersborough, Canada) .. 735
Relative dissociation energies of singly and doubly charged fullerene ions, $C_n^{z+}$, for $n = 52$ to 70
S. Matt, O. Echt, R. Wörgötter, P. Scheier, C.E. Klots and T.D. Märk (Innsbruck, Austria) ..... 753
Theoretical comparison of closed and open ICR cells
F. Kuhnen, I. Spieß and K.P. Wanczek (Bremen, Germany) ..... 761
Author Index ..... 771
Subject Index ..... 773